



PATIENT REPORTED IMPACT OF SPASTICITY MEASURE SCORING INSTRUCTIONS

The PRISM consists of seven subscales. These scales can be used independently. Because the PRISM is multidimensional, a summary score should NOT be computed. Each subscale score provides distinct information. The subscales are:

- ✚ Social Avoidance/Anxiety
- ✚ Psychological Agitation
- ✚ Daily Activities
- ✚ Need for Assistance/Positioning
- ✚ Positive Impact
- ✚ Need for Intervention
- ✚ Social Embarrassment

Scores are obtained by summing across item scores. The items of the Positive Impact Scale are **reverse scored**. The following table identifies the items associated with each subscale and the scoring range for each subscale.

Subscale	Items	Potential Scoring Range
Social Avoidance/Anxiety	1, 7, 8, 11, 15, 19, 22, 26, 29, 34, 40	0-44
Psychological Agitation	2, 9, 16, 23, 32	0-20
Daily Activities	3, 10, 17, 21, 35, 38	0-24
Need for Assistance/Positioning	4, 12, 20, 36, 41	0-20
Positive Impact	5, 13, 28, 33 (reverse scored)	0-16
Need for Intervention	6, 14, 18, 25, 30	0-20
Social Embarrassment	24, 27, 31, 37, 39	0-20